

Z359.0 – Arrest  
Z359.1 – Safety Requirements for Subsystems and Components  
Z359.2 – Minimum Requirements for a Comprehensive Management Protection Program  
Z359.3 – Safety Requirements for Positioning and Travel Restraint Systems, Subsystems, and Components  
Z359.4 – Safety Requirements for Positioning and Travel Restraint Systems, Subsystems, and Components  
Z359.0 – Definition of functions and sections

# MILLER PRODUCT SELECTION

ANSI Z359 COMPLIANT

UPDATE  
2009



**MILLER**<sup>®</sup>  
by SPERIAN


# MILLER® PRODUCT SELECTION

## ANSI Z359 COMPLIANT



### BackBiter® Tie-Back Lanyards

913B/6FTGN	6-ft. green Cordura web lanyard w/5K snap hook & locking snap hook
913BD/6FTBL	6-ft. blue web lanyard w/5K snap hook & locking snap hook
8798B/6FTGN	Two-legged, 6-ft. green Cordura web lanyard w/two 5K snap hooks & locking snap hook
8798BD/6FTBL	Two-legged, 6-ft. blue web lanyard w/two 5K snap hooks & locking snap hook




### Manyard® II Shock-Absorbing Lanyards

216M-Z7/6FTGN	6-ft. stretchable web lanyard w/two locking snap hooks
219M-Z7/6FTGN	6-ft. stretchable web lanyard w/locking snap hook & locking rebar hook (2-1/2-in.)
231M-Z7/6FTGN	Two-legged, 6-ft. stretchable web lanyard w/locking snap hook & two locking rebar hooks (2-1/2-in.)
232M-Z7/6FTGN	Two-legged, 6-ft. stretchable web lanyard w/three locking snap hooks
233MORS-Z7/6FTGN	6-ft. stretchable web lanyard w/choke-off loop, rebar hook (2-1/2-in.) and an "O" ring extension




### StretchStop® Lanyards w/SofStop® Shock Absorber

913SS-Z7/6FTGN	6-ft. stretchable web lanyard w/two locking snap hooks
913RSS-Z7/6FTGN	6-ft. stretchable web lanyard w/locking snap hook & locking rebar hook (2-1/2-in.)
8798SS-Z7/6FTGN	Two-legged, 6-ft. stretchable web lanyard w/three locking snap hooks
8798RSS-Z7/6FTGN	Two-legged, 6-ft. stretchable web lanyard w/locking snap hook & two locking rebar hooks (2-1/2-in.)



### Manyard HP™ Shock-Absorbing Lanyards

216TWLS-Z7/6FTGN	6-ft. web lanyard w/two locking snap hooks
219TWRS-Z7/6FTGN	6-ft. web lanyard w/locking snap hook & locking rebar hook (2-1/2-in.)
231TWRS-Z7/6FTGN	Two-legged, 6-ft. web lanyard w/locking snap hook & two locking rebar hooks (2-1/2-in.)
232TWLS-Z7/6FTGN	Two-legged, 6-ft. web lanyard w/three locking snap hooks
233TWLS-Z7/6FTGN	6-ft. web lanyard w/choke-off loop & locking snap hook



### Miller HP™ Lanyards w/SofStop® Shock Absorber

910TWLS-Z7/6FTGN	6-ft. adjustable green web lanyard w/two locking snap hooks
913TWLS-Z7/3FTGN	3-ft. green web lanyard w/two locking snap hooks
913TWLS-Z7/6FTGN	6-ft. green web lanyard w/two locking snap hooks
928LS-Z7/18INBK	SofStop w/locking snap hook & D-Ring
8798T-Z7/6FTGN	Two-legged, 6-ft. green web lanyard w/three locking snap hooks
8798TR-Z7/6FTGN	Two-legged, 6-ft. green web lanyard w/locking snap hook & two locking rebar hooks (2-1/2-in.)



### Miller HP™ Positioning/Restraint Lanyards

210TWLS-Z7/6FTGN	6-ft. green web lanyard adjustable 4-ft. – 6-ft. w/two locking snap hooks
213TWLS-Z7/6FTGN	6-ft. green web lanyard w/two locking snap hooks
8928-Z7/18INBK	18-in. D-Ring extension



### TurboLite™ Fall Limiters (6-ft. webbing lifelines) and Twin Turbos

MFL-1-Z7/6FT	Steel twist-lock carabiner; locking snap hook on lanyard end
MFL-2-Z7/6FT	Steel twist-lock carabiner; locking rebar hook on lanyard end
MFLB-3-Z7/6FT	Twin Turbo D-Ring Connector & two MFL-3-Z7/6FT TurboLites w/locking snap hooks
MFLB-4-Z7/6FT	Twin Turbo D-Ring Connector & two MFL-4-Z7/6FT TurboLites w/locking rebar hooks (2-1/2-in.)



### Miller MiniLite® Fall Limiters (11-ft. webbing lifelines)\*

FL11-1-Z7/11FT	17D-1 steel twist-lock carabiner; locking snap hook on lanyard end
FL11-3-Z7/11FT	17D-1 steel twist-lock carabiner & swivel shackle; locking snap hook on lanyard end
FL11-6-Z7/11FT	Attached rebar hook & swivel shackle; locking snap hook on lanyard end
FL11-8-Z7/11FT	Attached locking snap hook & swivel shackle; locking snap hook on lanyard end



### Miller Scorpion™ Personal Fall Limiters (9-ft. webbing lifelines)

PFL-2-Z7/9FT	Steel twist-lock carabiner; locking snap hook on lanyard end
PFL-4-Z7/9FT	Carabiner & swivel shackle; locking snap hook on lanyard end
PFL-6-Z7/9FT	Rebar hook & swivel shackle; locking snap hook on lanyard end
PFL-7-Z7/9FT	Locking snap hook & swivel shackle; locking snap hook on lanyard end
PFL-15-Z7/9FT	No unit connector; locking swivel snap hook on lanyard end
PFLCMK-Z7/	Cab mount bracket & PFL-15-Z7/9FT



### Black Rhino™ Self-Retracting Lifelines (9-ft. cable lifelines)

CFL-2-Z7/9FT	9-ft. cable self-retracting lanyard w/steel twist-lock carabiner; locking swivel snap hook with load indicator
CFL-4-Z7/9FT	9-ft. cable self-retracting lanyard w/stainless steel swivel & twist-lock carabiner; locking swivel snap hook with load indicator
CFL-5-Z7/9FT	9-ft. cable self-retracting lanyard w/stainless steel swivel & locking rebar hook (2-1/2-in.); locking swivel snap hook with load indicator



### Falcon™ Self-Retracting Lifelines

MP16P-Z7/16FT	16-ft. web lifeline w/stainless steel swivel, carabiner & locking snap hook
MP20P-Z7/20FT	20-ft. web lifeline w/stainless steel swivel, carabiner & locking snap hook
MP20G-Z7/20FT	20-ft. galvanized wire rope (3/16-in.) lifeline w/tagline & carabiner
MP30G-Z7/30FT	30-ft. galvanized wire rope (3/16-in.) lifeline w/tagline & carabiner
MP50G-Z7/50FT	50-ft. galvanized wire rope (3/16-in.) lifeline w/tagline & carabiner
MP65G-Z7/65FT	65-ft. galvanized wire rope (3/16-in.) lifeline w/tagline & carabiner



### MightyLite™ Self-Retracting Lifelines\*

RL20G-Z7/20FT	20-ft. galvanized wire rope (3/16-in.) lifeline w/carabiner & tagline
RL20P-Z7/20FT	20-ft. polyester webbing (1-in.) lifeline w/carabiner & tagline
RLS30G-Z7/30FT	30-ft. galvanized wire rope (3/16-in.) lifeline w/carabiner & tagline
RL50G-Z7/50FT	50-ft. galvanized wire rope (3/16-in.) lifeline w/carabiner & tagline
RL50P-Z7/50FT	50-ft. polyester webbing (1-in.) lifeline w/carabiner & tagline
RL65G-Z7/65FT	65-ft. galvanized wire rope (3/16-in.) lifeline w/carabiner & tagline



### Miller MightEvac® Confined Space Entry & Rescue Systems\*

MR50GB-Z7/50FT	50-ft. galvanized wire rope (3/16-in.) unit w/carabiner, mounting bracket & pulley
MR50GC-Z7/50FT	50-ft. galvanized wire rope (3/16-in.) unit w/carabiner, mounting bracket & pulley and 7-ft. tripod
MR100GB-Z7/100FT	100-ft. galvanized wire rope (3/16-in.) unit w/carabiner, mounting bracket & pulley
MR100GC-Z7/100FT	100-ft. galvanized wire rope (3/16-in.) unit w/carabiner, mounting bracket & pulley and 7-ft. tripod



### ManHandler® Hoist/Winch

8442-Z7/65FT	ManHandler personnel-rated hoist 3/16-in. galvanized steel cable – 65-ft.
8442GC-Z7/65FT	ManHandler personnel-rated hoist 3/16-in. galvanized steel cable – 65-ft. w/7-ft. tripod
8442-Z7/100FT	ManHandler personnel-rated hoist with 3/16-in. galvanized steel cable – 100-ft.

\*Additional models available. For more information visit [www.millerfallprotection.com](http://www.millerfallprotection.com)

# MILLER® PRODUCT SELECTION – ANSI Z359 COMPLIANT



## Vertical Lifelines

300L-Z7/25FTBL	5/8-in. diameter polyester/polypropylene blend rope w/locking snap hook & loop; 25-ft.
300L-Z7/50FTBL	5/8-in. diameter polyester/polypropylene blend rope w/locking snap hook & loop; 50-ft.
300L-Z7/100FTBL	5/8-in. diameter polyester/polypropylene blend rope w/locking snap hook & loop; 100-ft.



## Anchorage Connectors

480-Z7/19INGN	Webbing anchor w/rebar hook (2-1/2-in.) & D-Ring
---------------	--



## Positioning Assemblies

6756RS-Z7/	Rebar chain assembly w/rebar hook (2-1/2-in.), attached swivel & two locking snap hooks
6756RS4-Z7/	Four link rebar chain assembly w/rebar hook (2-1/2-in.), attached swivel & two locking snap hooks
6757WRS-Z7/35INGN	Rebar web assembly w/rebar hook (2-1/2-in.) and two locking snap hooks



## Rope Grabs

8175-Z7/	Stainless steel trailing rope grab w/anti-panic feature
8175SLS-Z7/3FTYL	Stainless steel trailing rope grab w/anti-panic feature & 3-ft. SofStop lanyard



## Carabiners\*

17D-1	Steel twist-lock carabiner w/1-in. gate opening
18D-1	Steel twist-lock carabiner w/1-in. gate opening



## Rescue and Controlled Descent Devices\*

Miller SafEscape ELITE	Controlled descent/self-rescue system
Series 70	25-ft., 50-ft., 100-ft., 125-ft. rescue systems

\*All products in these categories meet the ANSI Z359 Fall Protection Code but were not given a differentiated product number.

### All Miller products in the following categories meet the ANSI Z359 Fall Protection Code:

- Harnesses (Except those with attached lanyards, in which case the lanyard must have a compliant locking snap hook.)
- DuraHoist™ Safety Systems – Tripods, Quad Pods and Davits
- Anchorage Connectors (Except RA10, RA15, RA20, RA45 and 470.)
- Vertical Lifelines (Except those with snap hook, in which case the snap hook must be compliant.)

### Products not currently addressed in the ANSI Z359 Fall Protection Code:

- Belts (unless integrated into a harness)
  - Pre-Engineered Horizontal Lifelines
  - Rigid Rail Fall Protection Systems
  - Material Winches
- ANSI Z359.0, Z359.1, Z359.2, Z359.3, Z359.4, Z359.6, Z359.12 and Z359.13 are the only Standards in effect as of November 16, 2009.

This equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow instructions could result in serious injury or fatality.



Toll Free 800/873-5242 Fax 800/892-4078

Phone 814/432-2118 Fax 814/432-2415

[www.millerfallprotection.com](http://www.millerfallprotection.com)



For more information or to place an order, please contact your Miller® distributor:

LMPANSI/1009/10M/RPI